

BharatRohan Airborne Innovations Pvt. Ltd.

301, Tower-4, DLF Corporate Greens Sector-
74A, Gurugram, Harayana-122004



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample Code: EKA1-26-03-05484

Received On: 13/03/2026

Sample Name: Bengal Gram (desi)

Analysed Between: 14/03/2026 to 16/03/2026

Sample Quantity: 500g

Sampling Details: Sampled by Eureka

Sample Appearance: Brown Colour Bengal Gram

Sample Packing: Sealed Polythene Pack

Sampling Procedure: EKA-GEN-SOP-04

Sampling Date: 11/03/2026

Condition On Receipt: Good

Job File Reference: EKA-2026-1477-05

Environmental Condition: Temp : 33°C, RH : 28%

Seal No.: 793381

Customer Provided Details: Batch No. :
BGKA0326A005|Quantity : 4 MT (50k g x 80 Bag)|
Exporter Name : BharatRohan Airborne Innovations
Pvt. Ltd

Sampling Location: Sedam, Karnataka

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDE					
1	All Analyzed Pesticides	EKA-CHE-SOP-32	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ - mg/kg)

S.No	Parameter Name	LOQ (mg/kg)	S.No	Parameter Name	LOQ (mg/kg)
1	2,4-D	0.01	126	Forchlorfenuron	0.01
2	4-Bromo-2-chlorophenol	0.01	127	Halosulfuron methyl	0.01
3	4-Chloro-3-methylphenol	0.01	128	Haloxypop	0.01
4	Acephate	0.01	129	Heptachlor (sum of heptachlor and heptachlor epoxide)	0.01
5	Acetamiprid	0.01	130	Hexachlorocyclohexane (HCH), alpha-	0.01
6	Afidopyropen	0.01	131	Hexachlorocyclohexane (HCH), beta-	0.01
7	Alachlor	0.01	132	Hexaconazole	0.01
8	Aldrin	0.01	133	Hexazinone	0.01
9	Allethrin	0.01	134	Hexythiazox	0.01
10	Ametoctradin	0.01	135	Imazamox	0.01
11	Ametryn	0.01	136	Imazethapyr	0.01
12	Amisulbrom	0.01	137	Imidacloprid	0.01
13	Anilofos	0.01	138	Indaziflam	0.01
14	Atrazine	0.01	139	Indoxacarb	0.01

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

15	Azadirachtin	0.01	140	Iodosulfuron-methyl	0.01
16	Azimsulfuron	0.01	141	Ipconazole	0.01
17	Azoxystrobin	0.01	142	Iprobenphos	0.01
18	Beflubutamid	0.01	143	Iprodione	0.01
19	Benalaxyl (including Benalaxyl-M)	0.01	144	Iprovalicarb	0.01
20	Bendiocarb	0.01	145	Isoprothiolane	0.01
21	Bensulfuron-methyl	0.01	146	Isoproturon	0.01
22	Bifenazate (sum of Bifenazate and	0.01	147	Ivermectin	0.01
23	Bifenthrin	0.01	148	Kresoxim methyl	0.01
24	Bioallethrin	0.01	149	Lambda-cyhalothrin	0.01
25	Bispyribac	0.01	150	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.01
26	Bitertanol	0.01	151	Linuron	0.01
27	Boscalid	0.01	152	Lufenuron (any ratio of constituent	0.01
28	Bupirimate	0.01	153	Malathion (sum of malathion and	0.01
29	Buprofezin	0.01	154	Mandipropamid	0.01
30	Butachlor	0.01	155	Matrine	0.01
31	Captafol	0.01	156	Metaflumizone	0.01
32	Captan (Sum of captan and tetrahydrophthalimide)	0.01	157	Metalaxyl (including metalaxyl-M)	0.01
33	Carbaryl	0.01	158	Metamifop	0.01
34	Carbendazim (sum of benomyl and carbendazim)	0.01	159	Metamitron	0.01
35	Carbofuran (sum of carbofuran and 3-OH carbofuran)	0.002	160	Methabenzthiazuron	0.01
36	Carboxin (Sum of carboxin, Carboxin sulfone and carboxin sulfoxide)	0.01	161	Methamidophos	0.01
37	Carfentrazone-ethyl	0.01	162	Methomyl	0.01
38	Carpropamid	0.01	163	Methoxyfenazide	0.01
39	Chlorantraniliprole	0.01	164	Metolachlor and S-Metolachlor	0.01
40	Chlordane (sum of cis- and trans-	0.01	165	Metrafenone	0.01
41	Chlorfenapyr	0.01	166	Metribuzin	0.01
42	Chlorfenvinphos	0.01	167	Monocrotophos	0.01
43	Chlorfluazuron	0.01	168	Monuron	0.01
44	Chlorimuron-ethyl	0.01	169	Myclobutanil	0.01
45	Chlorothalonil	0.01	170	Nitenpyram	0.01
46	Chlorpropham	0.01	171	Novaluron	0.01
47	Chlorpyrifos	0.01	172	Omethoate	0.01
48	Chlorpyrifos-methyl	0.01	173	Orthosulfamuron	0.01
49	Chromafenozide	0.01	174	Oxadiargyl	0.01
50	Cinmethylen	0.01	175	Oxadiazon	0.01
51	Clethodim	0.01	176	Oxamyl	0.01
52	Clodinafop	0.01	177	Oxycarboxin	0.01
53	Clofentezine	0.01	178	Oxydemeton- methyl (sum of oxydemeton methyl and demeton-S-methylsulfone)	0.01
54	Clomazone	0.01	179	Oxyfluorfen	0.01
55	Clothianidin	0.01	180	Paclobutrazol	0.01
56	Coumaphos	0.01	181	Parathion - methyl (sum of Parathion-	0.01
57	Cyantraniliprole	0.01	182	Parathion ethyl	0.01
58	Cyazofamid	0.01	183	Penconazole	0.01

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

TC-9653

59	Cyflufenamid	0.01	184	Pencycuron	0.01
60	Cyflumetofen	0.01	185	Pendimethalin	0.01
61	Cyfluthrin (sum of isomers)	0.01	186	Penoxsulam	0.01
62	Cyhalofop-butyl	0.01	187	Permethrin (sum of isomers)	0.01
63	Cymoxanil	0.01	188	Phenmedipham	0.01
64	Cypermethrin (sum of isomers)	0.01	189	Phenthoate	0.01
65	Cyproconazole	0.01	190	Phorate (sum of phorate, Phorate sulfone and phorate sulfoxide)	0.01
66	Cyprodinil	0.01	191	Phosalone	0.01
67	Dazomet	0.01	192	Phosphamidon	0.01
68	DDT (all isomers, sum of p,p'-DDT, o,p'-	0.01	193	Picoxystrobin	0.01
69	Deltamethrin	0.01	194	Pinoxaden	0.01
70	Diafenthiuron	0.01	195	Pirimiphos-methyl	0.01
71	Diazinon	0.01	196	Pretilachlor	0.01
72	Dichlorvos	0.01	197	Procymidone	0.01
73	Diclofop (sum diclofop-methyl and	0.01	198	Profenophos	0.01
74	Diclosulam	0.01	199	Propamocarb	0.01
75	Dicofol (sum of p,p' and o,p' isomers)	0.01	200	Propanil	0.01
76	Dieldrin	0.01	201	Propargite	0.01
77	Difenoconazole	0.01	202	Propetamphos	0.01
78	Diiflubenzuron	0.01	203	Propiconazole	0.01
79	Dimethoate	0.01	204	Propoxur	0.01
80	Dimethomorph	0.01	205	Pymetrozine	0.01
81	Dimoxystrobin	0.01	206	Pyraclostrobin	0.01
82	Dinotefuran	0.01	207	Pyrazosulfuron-ethyl	0.01
83	Diuron	0.01	208	Pyridaben	0.01
84	Dodine	0.01	209	Pyridalyl	0.01
85	Edifenphos	0.01	210	Pyriproxyfen	0.01
86	Emamectin benzoate	0.01	211	Pyriithiolac-sodium	0.01
87	Endosulphan (sum of Endosulphan Alpha,Endosulphan beta and Endosulphan Sulphate)	0.01	212	Pyroxasulfone	0.01
88	Endrin	0.01	213	Quinalphos	0.01
89	Epoxiconazole	0.01	214	Simazine	0.01
90	Ethion	0.01	215	Spinetoram	0.01
91	Ethiprole	0.01	216	Spirodiclofen	0.01
92	Ethofenprox (Etofenprox)	0.01	217	Spiromesifen	0.01
93	Ethoxysulfuron	0.01	218	Spirotetramat	0.01
94	Etoazole	0.01	219	spirotetramat-enol	0.01
95	Etrinfos	0.01	220	Sulfentrazone	0.01
96	Famoxadone	0.01	221	Sulfosulfuron	0.01
97	Fenamidone	0.01	222	Sulfoxaflor (sum of isomers)	0.01
98	Fenarimol	0.01	223	tau -Fluvalinate	0.01
99	Fenazaquin	0.01	224	Tebuconazole	0.01
100	Fenhexamid	0.01	225	Tebufenozide	0.01
101	Fenitrothion	0.01	226	Tembotrione	0.01
102	Fenobucarb	0.01	227	Temephos	0.01
103	Fenoxycarb	0.01	228	Tetraconazole	0.01

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732

104	Fenpropathrin	0.01	229	Thiabendazole	0.01
105	Fenpyroximate	0.01	230	Thiacloprid	0.01
106	Fenthion (Sum of fenthion, Fenthion sulfone and Fenthion sulfoxide)	0.01	231	Thiamethoxam	0.01
107	Fenvalerate (including esfenvalerate)	0.01	232	Thifluzamide	0.01
108	Fipronil (sum of fipronil and fipronil	0.005	233	Thiobencarb	0.01
109	Flonicamid (sum of flonicamid, TNFG and TNFA)	0.01	234	Thiodicarb	0.01
110	Fluazifop-P	0.01	235	Thiometon	0.01
111	Fludioxonil	0.01	236	Thiophanate-methyl	0.01
112	Flubendiamide	0.01	237	Tolfenpyrad	0.01
113	Flucetosulfuron	0.01	238	Topramezone	0.01
114	Fluchloralin	0.01	239	Transfluthrin	0.01
115	Flufenacet	0.01	240	Triadimenol	0.01
116	Flufenoxuron	0.01	241	Triafamone	0.01
117	Flufenzin	0.01	242	Tri-allate	0.01
118	Fluometuron	0.01	243	Triasulfuron	0.01
119	Fluopyram	0.01	244	Triazophos	0.01
120	Flupyradifurone	0.01	245	Trichlorfon	0.01
121	Fluroxapyr	0.01	246	Tricyclazole	0.01
122	Flusilazole	0.01	247	Tridemorph	0.01
123	Flutriafol	0.01	248	Trifloxystrobin	0.01
124	Fluxapyroxad	0.01	249	Triflumuron	0.01
125	Fomesafen	0.01	250	Trifluralin	0.01

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Sample Remark /Conclusion: The above analysed sample is in accordance to the requirements of National Program for organic Production (NPOP)-APEDA and in its currently valid version.

Note: Conclusion is provided with respect to above tested analytes only.

Mr Shambulinga - Asst. Manager

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Private Limited

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN:U73100KA2019PTC127732